

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
18 September 2003 (18.09.2003)

PCT

(10) International Publication Number
WO 03/075869 A1

(51) International Patent Classification⁷: **A61K 7/06**

(21) International Application Number: PCT/US03/07087

(22) International Filing Date: 7 March 2003 (07.03.2003)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
60/362,359 7 March 2002 (07.03.2002) US

(71) Applicant (for all designated States except US): **USBIO-MATERIALS CORPORATION** [US/US]; One Progress Boulevard, Box #23, Alachua, FL 32615 (US).

(72) Inventors; and

(75) Inventors/Applicants (for US only): **LATORRE, Guy** [US/US]; 4416 NW 62nd Terrace, Gainesville, FL 32606 (US). **MCKENZIE, Kevin** [US/US]; 28115 NW 182 Avenue, High Springs, FL 32643 (US).

(74) Agents: **GRUDZIECKI, Ronald, L.** et al.; Burns, Doane, Swecker & Mathis, L.L.P., P.O. Box 1404, Alexandria, VA 22313-1404 (US).

(81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Declarations under Rule 4.17:

- as to applicant's entitlement to apply for and be granted a patent (Rule 4.17(ii)) for the following designations AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VC, VN, YU, ZA, ZM, ZW, ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG)
- as to the applicant's entitlement to claim the priority of the earlier application (Rule 4.17(iii)) for all designations

Published:

- with international search report
- before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: METHODS OF TREATING HAIR

(57) Abstract: Methods for treating hair are disclosed. Formulations for use in the methods for treating hair comprising bioactive glass compositions and a suitable carrier are also disclosed. The methods disclosed involve application of hair treatment formulations to hair which formulations include bioactive glass compositions which may comprise non-interlinked particles of bioactive glass or bioactive glass extract, and a carrier, and/or optional components useful in hair treatment formulations.

WO 03/075869 A1

METHODS OF TREATING HAIR

BACKGROUND OF THE INVENTION

5

Field of the Invention

[0001] The present invention relates to compositions and methods of use in the treatment of hair.

10

Background

[0002] Hair is composed of a class of natural fibrous proteins called keratin. This is the same kind of protein that makes up the nails and the outer layer of skin. The softer keratins are components of the external layers of skin, wool, hair and feathers, while the harder types predominate in
15 nails, claws and hoofs. A cross section taken through a terminal hair shaft reveals two distinct components, the cuticle and the cortex. The cuticle is the outermost surface of the hair shaft and is composed of a very hard keratinous substance, while the inner bulk of the hair is composed of a more fibrous keratin and is known as the cortex. A third element, the medulla, is
20 composed of a softer keratin-rich material and its occurrence in human hair appears to be variable, and is typically found in large, thick hairs.

[0003] Chemically, keratin is an insoluble proteinaceous complex composed of high molecular weight polypeptide chains. These polypeptide
25 chains are composed of a series of amino acids joined head-to-tail by peptide linkages, the actual properties of the polypeptide being determined by the number, type and order of amino acids in the chain. Typically, keratins are insoluble in organic solvents but do absorb and hold water.

[0004] The cuticle of hair generally consists of flattened platelets of amorphous keratin, wrapped around the hair shaft in several layers, each layer overlapping the adjacent one progressing from the root of the hair to its tip. The condition of the cuticle is responsible for the outward appearance of the hair and dictates the attributes of feel and shine. In virgin hair, the cuticle platelets lay flat against each other and are firmly adhered to the cortex, giving rise to a very smooth feeling surface with a high degree of shine. If the hair is subjected to environmental or physical damage, the cuticle platelets can become chipped, raised or even detached completely, exposing the cortex underneath. This gives rise to hair in poor condition, which feels rough to the touch and is dull in appearance.

[0005] The most frequent cause of hair damage is mechanical abrasion, typically combing or brushing, often in combination with the use of hair treatment products such as perming lotions, colorants or even shampoos. The extent of physical damage depends, to a large extent, on the coefficient of friction between the comb or brush and the surface of the hair itself. This value rises dramatically if the hair is wet with the consequence that far more damage is normally inflicted to the hair if it is combed or brushed when wet, rather than when dry. The cuticle of the hair is also responsible for the water repellent properties of the hair. If the cuticle is badly damaged or removed completely, water rapidly penetrates the cortex which subsequently swells, making the hair more prone to further mechanical damage.

[0006] Various compositions and methods have been used to prevent or treat damaged hair. U.S. Patent No. 3,864,475, for example, relates to a method of treating human hair to enhance softness and improve the general

appearance by intimately contacting the hair with an aqueous treating composition containing water and a catalytically effective amount of a catalyst. The catalyst may be prepared by admixing a water soluble alkali metal silicate with an aqueous medium containing a dissolved substance
5 which is source of calcium ion and a dissolved substance which is a source of magnesium ion to produce a finely divided or colloidal suspension of the reaction product. The colloidal suspension is then agitated sufficiently in the presence of a micelle-forming surfactant to form catalyst-containing micellees.

10

[0007] U.S. Patent No. 3,958,581 relates to the treatment of degraded hair by use of cosmetic compositions containing at least one cationic polymer and at least one non-toxic salt of a divalent metal.

15 [0008] U.S. Patent No. 5,635,168 teaches compositions and methods for treating hair using an aqueous composition of at least 1% by weight total of one or more polyvalent metal compounds; a sulfur-containing material that has an average molecular weight of 10,000 or less that can form disulfide bonds involving the keratin of the hair, and whose sulfur content is at least
20 about 1% by weight; and optionally, an acid.

[0009] There is a continuing need in the art for a hair treatment and composition which builds body in hair and provides smooth, silky hair. The methods and compositions of the present invention provide such
25 compositions and treatment.

BRIEF SUMMARY OF THE INVENTION

[0010] Methods for treating hair are disclosed. These methods include treating hair with bioactive glass compositions which comprises particulate bioactive glass or bioactive glass extracts. The bioactive glass compositions
5 may further comprise a carrier and/or optional components useful in hair treatment formulations.

[0011] In one aspect of the invention, the method comprises applying an effective hair-enhancing amount of a bioactive glass composition to the hair
10 for a sufficient amount of time such that the hair is coated with the bioactive glass composition. The coating comprises a film comprising silicon, calcium, and/or phosphorus ions which may interact with the hair. Additionally, sodium or other ions released from the bioactive glass composition may be present. The hair after application of the bioactive glass
15 composition is smooth and silky with increased body.

[0012] In another aspect of the invention, the method comprises applying an effective hair-enhancing amount of bioactive glass extract(s) (solutions with ions and substantially no particles) to the hair for a sufficient amount of
20 time such that the hair is coated with a precipitated film or coating comprising silicon, phosphorous and calcium. Additionally, sodium or other ions released from the bioactive glass extracts may be present.

[0013] In another aspect of the invention, the method comprises applying
25 a shampoo or conditioner to hair, the shampoo or conditioner comprising an effective hair-enhancing amount of a bioactive glass composition which may comprise non-interlinked particles of bioactive glass or bioactive glass extract.

BRIEF DESCRIPTION OF THE DRAWINGS

5 **[0014]** Figure 1 is a scanning electron microscopy (SEM) micrograph at a magnification of 500x showing film formation on hair after treatment with the bioactive glass and tris buffer formulation of Group #1 described in the Example.

10 **[0015]** Figure 2 is a scanning electron microscopy (SEM) micrograph at a magnification of 4500x showing film formation on hair after treatment with the bioactive glass and tris buffer formulation of Group #1 described in the Example.

15 **[0016]** Figure 3 is an Energy Dispersive Spectrometer (EDS) spectrum showing the presence of silicon, calcium and phosphorus on hair after treatment with the bioactive glass and tris buffer formulation of Group #1 described in the Example.

20 **[0017]** Figure 4 is a Fourier Transform Infrared Spectroscopy (FTIR) spectrum which illustrates that the calcium and phosphorus in the film are in the form of crystalline hydroxyapatite.

25 **[0018]** Figure 5 is a scanning electron microscopy (SEM) micrograph at a magnification of 500x showing film formation on hair after treatment with the bioactive glass extract formulation of Group #2 described in the Example.

30 **[0019]** Figure 6 is a scanning electron microscopy (SEM) micrograph at a magnification of 4500x showing film formation on hair after treatment with the bioactive glass extract formulation of Group #2 described in the Example.

[0020] Figure 7 is an Energy Dispersive Spectrometer (EDS) spectrum showing the presence of silicon, calcium and phosphorus on hair after treatment with the bioactive glass extract formulation of Group #2 described in the Example.

5

[0021] Figure 8 is a scanning electron microscopy (SEM) micrograph at a magnification of 500x showing lack of film formation on hair after treatment with the tris buffer control for Groups #1 and #2 described in the Example.

10 **[0022]** Figure 9 is a scanning electron microscopy (SEM) micrograph at a magnification of 4500x showing lack of film formation on hair after treatment with the tris buffer control for Groups #1 and #2 described in the Example.

15 **[0023]** Figure 10 is an Energy Dispersive Spectrometer (EDS) spectrum showing the absence of silicon, calcium and phosphorus on hair after treatment with the tris buffer control for Groups #1 and #2 described in the Example.

20 **[0024]** Figure 11 is a scanning electron microscopy (SEM) micrograph at a magnification of 500x showing film formation on hair after treatment with the bioactive glass, tris buffer and shampoo formulation of Group #3 described in the Example.

25 **[0025]** Figure 12 is a scanning electron microscopy (SEM) micrograph at a magnification of 4500x showing film formation on hair after treatment with the bioactive glass, tris buffer and shampoo formulation of Group #3 described in the Example.

[0026] Figure 13 is an Energy Dispersive Spectrometer (EDS) spectrum showing the presence of silicon, calcium and phosphorus on hair after treatment with the bioactive glass, tris buffer and shampoo formulation of Group #3 described in the Example.

5

[0027] Figure 14 is a scanning electron microscopy (SEM) micrograph at a magnification of 500x showing film formation on hair after treatment with the bioactive glass extract and shampoo formulation of Group #4 described in the Example.

10

[0028] Figure 15 is a scanning electron microscopy (SEM) micrograph at a magnification of 4500x showing film formation on hair after treatment with the bioactive glass extract and shampoo formulation of Group #4 described in the Example.

15

[0029] Figure 16 is an Energy Dispersive Spectrometer (EDS) spectrum showing the presence of silicon, calcium and phosphorus on hair after treatment with the bioactive glass extract and shampoo formulation of Group #4 described in the Example.

20

[0030] Figure 17 is a scanning electron microscopy (SEM) micrograph at a magnification of 500x showing lack of film formation on hair after treatment with the tris buffer and shampoo control for Groups #3 and #4 described in the Example.

25

[0031] Figure 18 is a scanning electron microscopy (SEM) micrograph at a magnification of 4500x showing lack of film formation on hair after treatment

with the tris buffer and shampoo control for Groups #3 and #4 described in the Example.

5 [0032] Figure 19 is an Energy Dispersive Spectrometer (EDS) spectrum showing the absence of silicon, calcium and phosphorus on hair after treatment with the tris buffer control for Groups #3 and #4 described in the Example.

DETAILED DESCRIPTION OF THE INVENTION

10 [0033] The hair treatment methods of the present invention involve application to hair of bioactive glass compositions comprising particulate bioactive glass or bioactive glass extract. The treatment provides a film on the hair which results in hair with greater body, smoothness and silkiness. The hair treated may be hair from or on any mammal such as hair on dogs
15 or cats, but preferably will be human hair.

[0034] As used herein, the terms "bioactive glass" or "biologically active glass" mean an inorganic glass material having an oxide of silicon as its major component and which is capable of bonding with growing tissue when
20 reacted with physiological fluids.

[0035] Bioactive glasses are well known to those skilled in the art, and are disclosed, for example, in *An Introduction to Bioceramics*, L. Hench and J. Wilson, eds. World Scientific, New Jersey (1993). The bioactive glass of
25 the present invention typically will contain about 40 to about 86 % by weight of silicon dioxide (SiO_2), about 0 to about 35 % by weight of sodium oxide (Na_2O), about 4 to about 46 % by weight calcium oxide (CaO), and about 1 to about 15 % by weight phosphorus oxide (P_2O_5). Preferably, the silicon

dioxide is present in an amount of about 40 to about 68 % by weight, the sodium oxide is present in an amount of about 5 to about 30 % by weight, the calcium oxide is present in an amount of about 10 to about 35 % by weight and the phosphorus oxide is present in an amount of about 1 to about 12 % by weight. The oxides may be present as solid solutions or mixed oxides, or as mixture of oxides.

[0036] One or more of CaF_2 , B_2O_3 , Al_2O_3 , MgO and K_2O may be included in the composition in addition to silicon, sodium, calcium and phosphorus oxides. The B_2O_3 may be present in an amount of about 0 to 10 % by weight, the K_2O may be present in an amount of about 0 to about 8 % by weight, the Al_2O_3 may be present in an amount of about 0 to about 4 % by weight, the MgO may be present in an amount of about 0 to about 5 % by weight and the CaF_2 may be present in an amount of about 0 to about 30 % by weight.

[0037] One preferred glass is Bioglass® 45S5, which has a composition including about 45 % by weight silicon dioxide (SiO_2), about 24.5 % by weight sodium oxide (Na_2O), about 6 % phosphorus oxide (P_2O_5), and about 24.5 % by weight calcium oxide (CaO).

[0038] The bioactive glass of the bioactive glass compositions may be used in either particulate or extract form. Preferably, where particulate bioactive glass is used, particulate, non-interlinked bioactive glass is selected. This glass is in the form of small, discrete particles, rather than a fused matrix of particles or a mesh or fabric (woven or non-woven) of glass fibers. Under some conditions the discrete particles of the bioactive glass may tend to cling together because of electrostatic or other forces but these

particles are still considered to be non-interlinked. Typically, the average particle size is about 90 microns or less. Preferably, the average particle size is less than about 20 microns, or, more preferably, less than about 5 microns, and even more preferably less than about 1 micron. Particle size,
5 as used herein, is measured by SEM or other optical microscopy techniques, or by laser light scattering techniques (i.e., using a Coulter counter).

[0039] The bioactive glass may be prepared in any way known to those of
10 skill in the art. For example, the bioactive glass may be provided as melt-derived glass, sol-gel derived glass or sintered glass particles. The sintered particles may be in sol-gel derived, or pre-reacted melt derived form. Melt derived glass typically is prepared by mixing grains of oxides or carbonates, melting and homogenizing the mixtures at high temperatures, generally
15 about 1250 to about 1400°C. The molten glass can be fritted and milled to produce a small particulate material. Sol-gel derived glass is typically prepared by synthesizing an inorganic network by mixing metal alkoxides in solution, followed by hydrolysis, gelation, and low temperature (less than about 1000°C) firing to produce glass.

20

[0040] The bioactive glass may also be used in extract form. An extract of bioactive glass is a solution of ions derived from bioactive glass. Typically, the solution of bioactive glass comprises ions and substantially no particles. By solution is included solutions, suspensions and dispersions of bioactive
25 glass. For example, an extract of bioactive glass may be formed from a solution made by reacting bioactive glass particles in an appropriate solvent such as water or tris buffer for an appropriate amount of time to create a solution of bioactive glass. The solution may then be filtered and used as a

bioactive glass extract which is substantially particle free. The ratio of ions in solution will depend on the bioactive glass starting material and the amount of time it reacts in solution. The ion ratios may be controlled by use of various bioactive glass materials or by varying the reaction time.

5

[0041] The bioactive glass or bioactive glass extract typically will be applied directly to hair in conjunction with a carrier. The carrier may be aqueous or nonaqueous. The carrier preferably will be aqueous, alcohol based or other organic carriers or combinations thereof. Alternatively,
10 cosmetic compositions can be provided in the form of aerosol sprays, foams or gels. While the ratio of bioactive glass to carrier is not critical, the bioactive glass composition will typically be about 0.5 to about 20 % of the total bioactive glass/carrier formulation, including any optional components. Preferably, the amount of bioactive glass in the total
15 composition will be about 2 to about 10 %.

[0042] The bioactive glass or bioactive glass extract composition generally will be provided in an effective hair-enhancing amount. An effective, hair-enhancing amount is an amount capable of providing a thin film or coating
20 on the hair of bioactive glass or ions from the bioactive glass which are believed to interact with the keratin in the hair to provide beneficial qualities to the hair. Typically, these ions will be calcium, silicon and/or phosphorus. Other ions which may be present, depending on the composition of the bioactive glass, include sodium, magnesium, potassium, zinc, copper or
25 silver, among others. The thin film typically will be about 0.1 to about 5 microns thick. Preferably, the thin film formed on the hair will be about 0.3 to about 2 microns thick.

[0043] Without being bound by any theory, it is believed that the application of bioactive glass or bioactive glass extract composition according to the methods herein causes a layer of hydroxyapatite or other calcium phosphate crystals to form on the hair surface. Moreover, the ions
5 from the bioactive glass are believed to penetrate layers of the hair to form hydroxyapatite crystals within the layers of the hair and may penetrate layers of the hair to form chemical bonds bridging the layers of the cuticle.

10 **[0044]** The bioactive glass or bioactive glass extract composition generally will be applied to the hair for a time sufficient to treat the hair. Typically, this time will allow a coating or film to form or precipitate onto the hair. The ions in the coating may then interact with the hair to enhance the hair. In
15 general, the time needed is about the time typically used to shampoo the hair, although a longer time may be used. The methods for treating hair of the invention may involve use of a hair treatment formulation which is removed or washed off after use, or a hair treatment formulation such as a gel, mousse, cream, lotion, air infused styling foam or spray formulation which is left on after application.

20

[0045] In one aspect of the invention, the bioactive glass or bioactive glass extract is applied to hair in a carrier in a rinse type of formulation. In other aspects of the invention, the bioactive glass or bioactive glass extract composition is applied to hair in a shampoo or conditioner formulation.

25 Such formulations are well known in the art. Application of the bioactive glass composition to the hair is believed to build body in the hair, and make hair smooth and silky. The methods of the invention may be used to

prevent or repair damage to the hair caused by mechanical, chemical or environmental factors.

5 **[0046]** The hair treatment of the present invention may also impart a beneficial anti-microbial or anti-fungal activity for the hair, scalp or skin. Such treatment may be useful against microbes such as *B. subtilis*, *S. aureus*, *P. aurescens*, *C. albicans*, *A. niger*, *E. coli*, *A. alternata*, and *C. xerosis*. The hair treatment methods of the invention may also be used to improve curl retention, color receptivity, color stability, color retention, shine,
10 and/or strength.

15 **[0047]** The hair treatment formulations of the present invention may further comprise one or more optional components known for use in shampoo or conditioning compositions, provided that the optional components are physically and chemically compatible with the bioactive glass composition described herein, or do not otherwise unduly impair product stability, aesthetics or performance. Concentrations of such optional components typically range from about 0.001% to about 10% by weight of the total composition.

20 **[0048]** Optional components include anti-static agents, dyes, organic solvents or diluents, pearlescent aids, foam boosters, surfactants or cosurfactants (nonionic, cationic, zwitterionic), pediculocides, pH adjusting agents, perfumes, preservatives, proteins, skin active agents, suspending
25 agents, styling polymers, sunscreens, thickeners, vitamins, biotin, collagen, amino acids, protein hydrolyzates, herbals, penetration enhancers, permeation/binding agents, and viscosity adjusting agents. This list of

optional components is not meant to be exclusive, and other optional components can be used.

5 [0049] The hair treatment methods of the invention preferably use compositions maintained at a pH appropriate for the particular application. Typically, the pH will be below about 10; preferably, the pH will be between about 3 and about 9.

10 [0050] The invention will now be more fully explained by the following examples. However, the scope of the invention is not intended to be limited to these examples.

EXAMPLE

15 [0051] Four compositions were prepared and tested to evaluate the use of bioactive glass particulates, extracts and shampoo solutions. The bioactive glass used was Bioglass™ 45S5 powder with a particle size less than about 20 μm . These compositions are detailed in Table I. Two control formulations were also prepared and tested. The first control formulation corresponded with Groups #1 and #2 and contained only tris buffer. The
20 second control formulation corresponded with Groups #3 and #4 and contained tris buffer and shampoo. These control formulations were viewed by SEM/EDS, with the results shown in Figures 8-10 and 17-19.

Table I

	Tris Buffer (200 ml)	Shampoo (0.5 cc)	Bioactive glass (0.3 g)	Bioactive glass extract (200 ml of 15 wt % solution)
Group #1	✓		✓	
Group #2				✓
Group #3	✓	✓	✓	
Group #4		✓		✓

Procedures:

5

[0052] Group #1 - tris buffer and bioactive glass particulate

1. 200 ml of tris buffer solution was delivered into a 500 ml flask and placed into a controlled temperature orbital shaker set at 37°C and 200 RPM.

10

2. 0.3 grams of bioactive glass particulate with a particle size less than about 20 μm was placed into the preheated solution.

3. 0.25 grams of human hair was attached to a large piece of inert glass with a rubber band and placed into the tris buffer/bioactive glass suspension.

15

4. The sample was allowed to react for 20 hours and then was removed and thoroughly rinsed with high purity deionized water.

5. The sample was allowed to dry and mounted for SEM/EDS analysis or used for FTIR analysis.

[0053] Group #2 - bioactive glass extract

5 1. 90.0 grams of bioactive glass particulate with a particle size less than about 20 μm and 510.0 ml of tris buffer solution were allowed to vortex in a 1000ml beaker for two hours at room temperature.

 2. The solution was then filtered to form a 15.0 wt. % bioactive glass extract.

10 3. 0.25 grams of human hair was attached to a large piece of inert glass with a rubber band and placed into the bioactive glass extract solution.

 4. The sample was allowed to react for 20 hours and then was removed and thoroughly rinsed with high purity deionized water.

 5. The sample was allowed to dry and mounted for SEM/EDS analysis.

[0054] Group #3 - tris buffer and bioactive glass particulate with shampoo

[0055] This procedure was identical to group # 1 with the addition of 0.5 cc of Suave Clarifying Shampoo with ammonium lauryl sulfate to the tris buffer/bioactive glass suspension.

[0056] Group #4 - bioactive glass extract with shampoo

[0057] This procedure was identical to the group # 3 procedure with the addition of 0.5 cc of Suave Clarifying Shampoo with ammonium lauryl sulfate to the bioactive glass extract solution.

Results:

[0058] Group #1- tris buffer and bioactive glass particulate

[0059] The SEM/EDS and FTIR results for group #1 are presented in
5 Figures 1, 2, 3 and 4. The SEM micrographs indicate that a substantial film
has been formed on the hair surface after reaction in tris buffer and
bioactive glass particulate. Magnification to 4500x indicates that this film is
non-uniform in coverage of the hair surface. The EDS analysis indicates
10 the presence of Si, Ca, Na and P, which is not seen in the Group 1 and 2
control in Figure 10. The presence of Si may indicate that some bioactive
glass particulate may be present or that a soluble form of silicon has been
incorporated on the hair surface.

[0060] Group #2 - bioactive glass extract

15

[0061] The SEM/EDS results for group #2 are presented in Figures 5, 6
and 7. The SEM micrographs indicate that a film has been formed on the
hair surface after reaction in tris buffer and bioactive glass extract solution.
Magnification to 4500x as shown in Figure 6 indicates that this film is non-
20 uniform in coverage of the hair surface. The film appears to be more dense
on the edges of the cuticle scales of the hair structure. The EDS analysis of
Figure 7 indicates the presence of Si, Ca, Na and P, which is not seen in the
Group 1 and 2 control in Figure 10. The presence of Si may indicate that
soluble form of silicon has been incorporated on the hair surface, as there
25 are no bioactive glass particles in this filtered solution. The presence of Al is
an artifact due to the aluminum mount used for SEM/EDS analysis.

[0062] Group #3 - tris buffer and bioactive glass particulate with shampoo

[0063] The SEM/EDS results for group #3 are presented in Figures 11, 12 and 13. The SEM micrographs indicate that a transparent film has been formed on the hair surface after reaction in the tris buffer, bioactive glass particulate and shampoo mixture. Magnification to 4500x in Figure 12 indicates that this film is uniform in coverage of the hair surface. The linear cracks seen in the micrographs were formed during the SEM analysis. These cracks could be seen growing as the image was focused in the process of acquiring the micrograph. The EDS analysis indicates the presence of Si, Ca, Na and P, which is not seen in the Group 3 and 4 control in Figure 19.

[0064] Group #4 - bioactive glass extract with shampoo

[0065] The SEM/EDS results for group #4 are presented in Figures 14, 15 and 16. The SEM micrographs indicate that a transparent film has been formed on the hair surface after reaction in the tris buffer, bioactive glass extract and shampoo mixture. Magnification to 4500x in Figure 15 indicates that this film is uniform in coverage of the hair surface. The linear cracks seen in the micrographs were formed during the SEM analysis. These cracks could be seen growing as the image was focused in the process of acquiring the micrograph. The extent of the cracking was less for this group than seen for the group #3 sample. The EDS analysis indicates the presence of Si, Ca, Na and P, which is not seen in the Group 3 and 4 control in Figure 19. The EDS analysis also indicates that this transparent film is thicker for this groups than the group #3 sample indicated by the significant reduction in the S peak at 2.30 keV and the significant increase in the alpha Ca peak at 3.75 keV. This increase in thickness could explain the reduction in cracking seen for this group as compared to the group #3

sample. The cause for this difference in thickness and dimensional stability of this transparent layer is unknown at this time.

5 [0066] The data presented indicates that both bioactive glass suspensions and extracts in tris buffer (groups #1 and #2) have the ability to deliver calcium, phosphorus and silicon to the hair surface. The SEM/EDS analysis indicates that a non-continuous film is being formed on the surface of the hair and is thicker on the edges of the cuticle scales of the hair structure. The FTIR analysis from group #1 shown in Figure 4 indicates that the
10 calcium and phosphorus are in the form of crystalline hydroxyapatite. The data also indicates that the morphology of this film changes with the addition of a commercial shampoo. The resulting film is continuous and transparent in nature, as seen with Groups #3 and #4. The EDS analysis indicates that this film contains calcium, phosphorus and silicon and is thicker in the
15 extract solution Group #4 than the suspension group #3 mixed with shampoo. Thus, the data shows that bioactive glass interacts with human hair.

20 [0067] While the invention has been described with preferred embodiments, it is to be understood that variations and modifications may be resorted to as will be apparent to those skilled in the art.

CLAIMS

1. A method for treating hair comprising applying a bioactive glass composition in an effective hair-enhancing amount to the hair for a sufficient time to form a coating on the hair comprising silicon, calcium and/or phosphorus ions.
5
2. The method of claim 1 wherein the coating on the hair further comprises sodium ions.
10
3. The method of claim 1 wherein the bioactive glass composition comprises a carrier and non-interlinked particles of bioactive glass comprising about 40 to about 86% by weight of SiO_2 , about 4 to about 46% by weight CaO and about 1 to about 15% by weight P_2O_5 .
15
4. The method of claim 3 wherein the bioactive glass composition has a pH below about 10.
5. The method of claim 3 wherein the bioactive glass composition has a pH between about 3 and about 9.
20
6. The method of claim 4 wherein the non-interlinked particles have a particle size less than about 90 microns.
7. The method of claim 4 wherein the non-interlinked particles have a particle size less than about 20 microns.
25

8. The method of claim 4 wherein the non-interlinked particles have a particle size less than about 5 microns.
9. The method of claim 1 wherein the bioactive glass composition
5 comprises non-interlinked particles of bioactive glass comprising about 40 to about 68% by weight of SiO_2 , about 10 to about 35% by weight CaO , about 1 to about 12% by weight P_2O_5 and about 5 to about 30% by weight Na_2O .
10. The method of claim 1 wherein the coating is about 0.1 to about 5
10 microns thick.
11. The method of claim 1 wherein the bioactive glass composition comprises bioactive glass extract and a carrier.
- 15 12. The method of claim 1 wherein the hair is human hair.
13. The method of claim 1 wherein the hair is damaged hair.
14. A method for treating hair comprising applying to the hair a hair
20 treatment formulation comprising a carrier and an effective hair-enhancing amount of a bioactive glass composition comprising either non-interlinked particles of bioactive glass or a bioactive glass extract.
15. The method of claim 14 wherein the bioactive glass composition
25 comprises non-interlinked particles of bioactive glass comprising about 40 to about 86% by weight of SiO_2 , about 4 to about 46% by weight CaO and about 1 to about 15% by weight P_2O_5 .

16. The method of claim 14 wherein the bioactive glass composition comprises bioactive glass extract comprising a solution of bioactive glass comprising about 40 to about 86% by weight of SiO_2 , about 4 to about 46% by weight CaO and about 1 to about 15% by weight P_2O_5 .
- 5 17. The method of claim 14 wherein the hair treatment formulation is a shampoo or conditioner and the method further comprises rinsing the shampoo or conditioner out of the hair.
- 10 18. The method of claim 14 wherein the hair treatment formulation is a gel, mousse, cream, lotion, air infused styling foam or spray composition and the method further comprises leaving the hair treatment formulation on the hair.
- 15 19. The method of claim 14 wherein the hair treatment formulation is applied to damaged hair.
- 20 20. The method of claim 14 wherein the hair treatment formulation further comprises anti-static agents, dyes, organic solvents or diluents, pearlescent aids, foam boosters, surfactants or cosurfactants, pediculocides, pH adjusting agents, perfumes, preservatives, proteins, skin active agents, suspending agents, styling polymers, sunscreens, thickeners, vitamins, biotin, collagen, amino acids, protein hydrolyzates, herbals, penetration enhancers, permeation/binding agents, or viscosity adjusting agents.
- 25 21. The method of claim 20 wherein the bioactive glass composition is present in an amount of about 2 to about 10% of the total composition.

22. The method of claim 21 wherein the pH is between about 3 and about 9.

23. A method for treating hair comprising applying a composition
5 comprising an effective, hair-enhancing amount of bioactive glass particles to the hair surface for a sufficient amount of time to provide that a layer of hydroxyapatite or other calcium phosphate crystals are formed on the hair surface and ions from the bioactive glass penetrate layers of the hair to form hydroxyapatite crystals within the layers of the hair.

10

24. The method of claim 23, wherein the composition comprising the bioactive glass particles further comprises an aqueous carrier and is applied to hair damaged by mechanical, chemical or environmental factors.

15 25. The method of claim 23, wherein the composition comprising the bioactive glass particles further comprises an aqueous carrier and is applied to hair to prevent damage by mechanical, chemical or environmental factors.

20 26. The method of claim 23 wherein the composition is applied to the hair to improve curl retention, color receptivity, color stability, color retention, shine, and/or strength.

25 27. The method of claim 23, wherein the composition further comprises biotin, collagen, amino acids, proteins, protein hydrolyzates, vitamins, herbals, penetration enhancers, permeation/binding agents, dyes or fragrances.

28. The method of claim 23, wherein the average particle size of the bioactive glass particles is less than about 20 microns.
29. The method of claim 23, wherein the average particle size of the
5 bioactive glass particles is less than about 5 microns.
30. The method of claim 29, wherein the average particle size of the bioactive glass particles is less than about 1 micron.
- 10 31. The method of claim 23, wherein the composition comprising bioactive glass particles comprises non-interlinked particles of bioactive glass comprising about 40 to about 68% by weight of SiO_2 , about 10 to about 35% by weight CaO , about 1 to about 12% by weight P_2O_5 and about 5 to about 30% by weight Na_2O .
- 15 32. The composition of claim 27 wherein the bioactive glass particles are present in the composition in an amount of about 0.5 to about 20 percent by weight of said composition.
- 20 33. The method of claim 23, wherein the hair is human hair.
34. The method of claim 23 wherein the hair is dog or cat hair.

1/13

SEM @ 500X
Evidence of film formation




FIG. 1

SEM @ 4500X
Evidence of film formation




FIG. 2

2/13




FIG. 3

3/13




FIG. 4

4/13

SEM @ 500X
Evidence of film formation




FIG. 5

SEM @ 4500X
Evidence of film formation



FIG. 6

EDS Spectrum
Presence of Si, Ca & P




FIG. 7

6/13

SEM @ 500X



FIG. 8

SEM @ 4500X




FIG. 9

7/13




FIG. 10

8/13

SEM @ 500X
Evidence of film formation




FIG. 11

SEM @ 4500X
Evidence of film formation




FIG. 12

9/13




FIG. 13

10/13

SEM @ 500X
Evidence of film formation




FIG. 14

SEM @ 4500X
Evidence of film formation




FIG. 15




FIG. 16

12/13

SEM @ 500X




FIG. 17

SEM @ 4500X




FIG. 18

13/13




FIG. 19

INTERNATIONAL SEARCH REPORT

International application No.

PCT/US03/07087

A. CLASSIFICATION OF SUBJECT MATTER IPC(7) : A61K 7/06 US CL : 424/70.1, 70.12 According to International Patent Classification (IPC) or to both national classification and IPC		
B. FIELDS SEARCHED Minimum documentation searched (classification system followed by classification symbols) U.S. : 424/70.1, 70.12 Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched NONE Electronic data base consulted during the international search (name of data base and, where practicable, search terms used) WEST		
C. DOCUMENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	US 4,534,892 A (SUZUKI et al.) 13 August 1985, see entire document.	1-34
Y	WO 00/09641 A1 (THE PROCTOR & GAMBLE COMPANY) 24 February 2000, see entire document.	1-34
<input type="checkbox"/> Further documents are listed in the continuation of Box C. <input type="checkbox"/> See patent family annex.		
* Special categories of cited documents: "A" document defining the general state of the art which is not considered to be of particular relevance "B" earlier application or patent published on or after the international filing date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international filing date but later than the priority date claimed "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art "&" document member of the same patent family		
Date of the actual completion of the international search 05 June 2003 (05.06.2003)		Date of mailing of the international search report 08 JUL 2003
Name and mailing address of the ISA/US Mail Stop PCT, Attn: ISA/US Commissioner for Patents P.O. Box 1450 Alexandria, Virginia 22313-1450 Facsimile No. (703)305-3230		Authorized officer <i>Lakshmi Channavajjala</i> Telephone No. 703-308-1235